

265 liter tank i Rostfritt 304



57 000 SEK /st exkl moms

Additional information: steel alloys; Cone height approx. 1200 mm; handhole approx. 220 x 315 mm; handhole collar and handhole cover made of Fe; the handhole cover is missing on one vessel; handhole cover fastenings incomplete on the other vessels; some residues of previous content

Volumetric volume (L): 265 L

Pressure in tank: ATM - atmosferic

Max. pressure (Bar): 20,50 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 25 L

Max Overpressure: 0,49 Bar

Max. working temperature: 100 °C

Type HE on the bottom: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 90 - 546

Power: 1,50

Total height of tank: 3.350 mm

SKU: 272365

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: steel alloys; cone height approx. 1200 mm; hand hole approx. 220 x 315 mm; hand hole collar and hand hole cover made of Fe; the hand hole cover is missing for 1 tank; fastenings of the hand hole

Övrig information2: covers of the other tanks are incomplete; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 20,50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 265

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 3.350 mm



Omrörare

Kraft (kW): 1,50
Varvtal: 90 - 546

Mer

Värmeväxlare: RVS 304
Isolerad: Nej