

## 270 liter tank i Syrafast 316



**19,000,00 SEK /st exkl moms**

**Additional information:** Biochemistry; Diameter of hand hole approx. 260 mm (hand hole lid plated); adhesions and metallic discoloration inside the vessel

**Volumetric volume (L):** 270 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 2 Bar

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 52

**Internal diameter tank:** 690 mm

**Cylinder height:** 670 mm

**Total height of tank:** 2.120 mm

**SKU:** 564637

## Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Biochemistry; Diameter of hand hole approx. 260 mm (hand hole lid plated); adhesions and metallic discoloration inside the vessel

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 270

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 670 mm

Invändig diameter: 690 mm

Total höjd: 2.120 mm

## Mer

Isolerad: Nej

