

27200 liter tank i Syrafast 316



212,000,00 kr /st exkl moms

Additional information: Pharmaceutical Chemistry; Stand frame, Aisi 304; wall thickness of the lowest cylinder segment approx. 6 mm; 2 of these tanks are from the manufacturer Metkon, but almost identical; Extensive documentation available; tank by now already dismantled and warehoused horizontally; two tanks with insulation, which is quite dented and should be replaced if required; special price applies only to 4 units

at external site in Wilsdorf.; some residues of previous content; manhole cover plated

Volumetric volume (L): 27.200 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,15 Bar

Min. pressure (Bar): 0,20 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Top: 6,10 mm

Cylinder: 5 mm

Bottom: 6,10 mm

Internal diameter tank: 2.400 mm

Outer diameter tank: 2.400 mm

Cylinder height: 5.400 mm

Total height of tank: 7.150 mm

SKU: 477586

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: 2 of these tanks are from the manufacturer Metkon, but almost identical;

Extensive documentation available; tank by now already dismantled and warehoused

horizontally; two tanks with insulation,

Övrig information2: which is quite dented and should be replaced if required

Omrörare: Nej

Övertryck: 0,15 Bar

Total urtappning: Ja

Undertryck (vakuum): 0,20 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 27200

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316



Dimensioner av tank

Cylinderhöjd: 5.400 mm
Invändig diameter: 2.390 mm
Total höjd: 6.400 mm
Ytterdiameter: 2.400 mm

Tjocklek på tank

Botten: 7 mm
Cylinder: 5 mm
Topp: 7 mm

Mer

Isolerad: Nej