2728 liter tank i Syrafast 316



57 000 SEK /st exkl moms

Additional information: Attention: Type plate only available for one of the two vessels; other small differences in the design of the two vessels (e.g. the wall thickness of the two bottoms of the vessel with type plate is approx. 6.4 mm)
Volumetric volume (L): 2.728 L
Pressure in tank: vacuum

Min. pressure (Bar): 1 Bar
Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: headside
Outlet of tank: 85
Cylinder: 5,20 mm
Bottom: 4,90 mm

Internal diameter tank: 1.400 mm
Cylinder height: 1.360 mm
Total height of tank: 2.950 mm

SKU: 485297

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: vacuum
Konfiguration: single-skin
Max. arbetstemperatur: 100 °C
Mobil tank: Nej
Övrig information: Chemistry; Attention: type plate only available for one of the two tanks; further small differences in the design of the two tanks (e.g. for the tank with nameplate, the wall thickness of the two
Övrig information2: bottoms is approx. 6.4 mm)
Omrörare: Nej
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 2728

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.360 mm
Invändig diameter: 1.400 mm
Total höjd: 2.950 mm

Tjocklek på tank
Botten: 4,90 mm
Cylinder: 5,20 mm

Mer
Isolerad: Nej