

2728 liter tank i Syrafast 316



58,000,00 kr /st exkl moms

Additional information: Chemistry; Attention: type plate only available for one of the two tanks; further small differences in the design of the two tanks (e.g. for the tank with nameplate, the wall thickness of the two bottoms is approx. 6.4 mm)

Volumetric volume (L): 2.728 L

Pressure in tank: vacuum

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 85

Cylinder: 5,20 mm

Bottom: 4,90 mm

Internal diameter tank: 1.400 mm

Cylinder height: 1.360 mm

Total height of tank: 2.950 mm

SKU: 485297

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Chemistry; Attention: type plate only available for one of the two tanks; further small differences in the design of the two tanks (e.g. for the tank with nameplate, the wall thickness of the two

Övrig information2: bottoms is approx. 6.4 mm)

Omrörare: Nej

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2728

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.360 mm

Invändig diameter: 1.400 mm

Total höjd: 2.950 mm

Tjocklek på tank

Botten: 4,90 mm

Cylinder: 5,20 mm

Mer

Isolerad: Nej