

2728 liter tank i Syrafast 316



57 000 SEK /st exkl moms

Additional information: Chemistry; Attention: Type plate only available for one of the two vessels; other small differences in the design of the two vessels (e.g. the wall thickness of the two bottoms of the vessel with type plate is approx. 6.4 mm)

Volumetric volume (L): 2.728 L

Pressure in tank: vacuum

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 85

Cylinder: 5,20 mm

Bottom: 4,90 mm

Internal diameter tank: 1.400 mm

Cylinder height: 1.360 mm

Total height of tank: 2.950 mm

SKU: 485297

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Chemistry; Attention: type plate only available for one of the two tanks; further small differences in the design of the two tanks (e.g. for the tank with nameplate, the wall thickness of the two

Övrig information2: bottoms is approx. 6.4 mm)

Omrörare: Nej

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2728

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.360 mm

Invändig diameter: 1.400 mm

Total höjd: 2.950 mm

Tjocklek på tank

Botten: 4,90 mm

Cylinder: 5,20 mm

Mer

Isolerad: Nej