

## 2732 liter tank i Rostfritt 304



**63 000 SEK /st exkl moms**

**Additional information:** chemistry; total height incl. agitator shaft; handhole diameter 200 mm; motor-/gear is missing; handhole cover is missing

**Volumetric volume (L):** 2.732 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,50 Bar

**Max. temperature (°C):** 80 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 51 L

**Max Overpressure:** 6 Bar

**Max. working temperature:** 80 °C

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 25

**Agitator:** yes

**Internal diameter tank:** 1.690 mm

**Cylinder height:** 970 mm

**Total height of tank:** 2.200 mm

**SKU:** 268963

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: chemistry; total height incl. agitator shaft; handhole diameter 200 mm; motor-/gear is missing; handhole cover is missing; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0,50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2732

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 970 mm

Invändig diameter: 1.690 mm

Total höjd: 2.200 mm

**Mer**

Värmeväxlare: RVS 304

Isolerad: Nej