

27400 liter tank i Syrafast 316



190,000,00 kr /st exkl moms

Additional information: Extensive documentation available; decommissioning report reports signs of corrosion inside the tank; tank by now already dismantled and warehoused horizontally; the insulation was damaged in some areas and likely needs replacement.

Volumetric volume (L): 27.400 L



Pressure in tank: vacuum

Min. pressure (Bar): 0,20 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

SKU: 477523

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Extensive documentation available; decommissioning report reports signs of corrosion inside the tank; tank by now already dismantled and warehoused horizontally; the insulation was damaged in some

Övrig information2: areas and likely needs replacement.

Omrörare: Nej

Total urtappning: Nej

Undertryck (vakuum): 0,20 Bar

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 27400

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Mer

Isolerad: Nej