

## 2750 liter tank i Rostfritt 304



**40 000 SEK /st exkl moms**

**Additional information:** Spirits; Manhole diameter 380 mm (outer parts of the manhole made of Fe); Level indicator incomplete; Feet base plates made of Fe; some residues of previous content

**Volumetric volume (L):** 2.750 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** DN40 DIN 11851

**Agitator:** yes

**Number of revolutions:** 1.390

**Power:** 0,75

**Internal diameter tank:** 1.490 mm

**Cylinder height:** 1.500 mm

**Total height of tank:** 2.200 mm

**Empty weight tank:** 600

**SKU:** 286988

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Spirits; Manhole diameter 380 mm (outer parts of the manhole made of Fe);

Level indicator incomplete; Feet base plates made of Fe; some residues of previous content; we can't give any guarantees

Övrig information2: about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2750

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.500 mm

Invändig diameter: 1.490 mm

Total höjd: 2.200 mm

## Omrörare

Kraft (kW): 0,75

Varvtal: 1.390

**Mer**

Isolerad: Nej

Vikt: 600