

## 280 liter tank i Syrafast 316



**138,000,00 kr /st exkl moms**

**Additional information:** Pharmacy; Air-controlled outlet valve; hand hole diameter 200 mm

**Volumetric volume (L):** 280 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3,20 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 130 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 17 L

**Max Overpressure:** 6 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 130 °C

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** available

**Agitator:** yes

**Number of revolutions:** 0 - 767

**Power:** 0,37

**Internal diameter tank:** 590 mm

**Outer diameter tank:** 720 mm

**Total height of tank:** 1.700 mm

**SKU:** 564163

Mer information

---