

28100 liter tank i Syrafast 316



190,000,00 kr /st exkl moms

Additional information: Chemistry; Tank with dents in the cylinder (vacuum damage; see photos); cylinder manhole diameter approx. 600 mm; feet ends cut off; 3 immersion pipes inside the tank; specified total height including ring line connection in the upper bottom; outlet with flanged, reducing fitting; some residues of previous content

Volumetric volume (L): 28.100 L

Pressure in tank: pressure

Max. pressure (Bar): 1 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN100

Top: 5 mm

Cylinder: 5 mm

Bottom: 8 mm

Internal diameter tank: 2.600 mm

Cylinder height: 4.594 mm

Total height of tank: 7.700 mm

SKU: 475993

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Chemistry; Tank with dents in the cylinder (vacuum damage; see photos); cylinder manhole diameter approx. 600 mm; feet ends cut off; 3 immersion pipes inside the tank; specified total height

Övrig information2: including ring line connection in the upper bottom; outlet with flanged, reducing fitting; some residues of previous content

Omrörare: Nej

Övertryck: 1 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 28100

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 4.594 mm

Invändig diameter: 2.600 mm

Total höjd: 7.700 mm

Tjocklek på tank

Botten: 8 mm

Cylinder: 5 mm

Topp: 5 mm

Mer

Isolerad: Nej