

## 28100 liter tank i Syrafast 316



**189 000 SEK /st exkl moms**

**Additional information:** Chemistry; Vessel with dents in the cylinder (vacuum damage; see photos); diameter manhole cylinder approx. 600 mm; base ends cut off; 3 dip pipes inside the tank; specified total height incl. connection ring pipe in the upper bottom; outlet with flanged reducing valve; some residues of previous content

**Volumetric volume (L):** 28.100 L

**Pressure in tank:** ATM - atmosferic

**Max. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** flange DN100

**Top:** 5 mm

**Cylinder:** 5 mm

**Bottom:** 8 mm

**Internal diameter tank:** 2.600 mm

**Cylinder height:** 4.594 mm

**Total height of tank:** 7.700 mm

**SKU:** 475993

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Chemistry; Tank with dents in the cylinder (vacuum damage; see photos); cylinder manhole diameter approx. 600 mm; feet ends cut off; 3 immersion pipes inside the tank; specified total height

Övrig information2: including ring line connection in the upper bottom; outlet with flanged, reducing fitting; some residues of previous content

Omrörare: Nej

Övertryck: 1 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 28100

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 4.594 mm

Invändig diameter: 2.600 mm

Total höjd: 7.700 mm

**Tjocklek på tank**

Botten: 8 mm

Cylinder: 5 mm

Topp: 5 mm

**Mer**

Isolerad: Nej