# 2900 liter tank i Syrafast 316



25 000 SEK /st exkl moms

**Additional information**: Cip-tank in a brewery; 1 external piping (ends braided off); some residues of previous content; manhole cover is missing
**Volumetric volume (L)**: 2.900 L
**Pressure in tank**: ATM - atmosferic
**Material wet parts**: SS AISI 316 (V4A)

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

**Model**: vertical

**Configuration**: single-skin
**Heat exchanger**: no
**Insulation**: no
**Mobile tank**: no
**Total discharge**: yes

**Documents included**: no
**Technical drawing included**: no
**Registration plate on the tank**: no
**Flange for agitator**: no
**Position of manway**: headside

**Outlet of tank**: flange DN80
**Cylinder**: 2,20 mm
**Bottom**: 2,70 mm
**Internal diameter tank**: 1.500 mm
**Cylinder height**: 1.500 mm

**Total height of tank**: 2.300 mm

**SKU:** 409655

## Mer information

## Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single jacketed with heat-exchanger
Mobil tank: Nej
Övrig information: Cip-tank in a brewery; 1 pipeline outside (ens cut off); some residues of previous content;manhole cover is missing
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 2900

## Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 1.500 mm
Invändig diameter: 1.500 mm
Total höjd: 2.300 mm

## Tjocklek på tank

Botten: 2,70 mm
Cylinder: 2,20 mm

**Mer**
Isolerad: Nej