

293 liter tank i Syrafast 316



321 000 SEK /st exkl moms

Additional information: pharmacy; mobile frame V2A with brake; hand hole with sight glass diameter: approx. 250mm; pneumatic actuator at the outlet; the container hangs on 3x weighing cells on the frame

Volumetric volume (L): 293 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 11 L

Max Overpressure: 2 Bar

Max onderdruk: 1 Bar

Max. working temperature: 150 °C

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: clamp

Agitator: yes

Number of revolutions: 2.825

Power: 0,55

Internal diameter tank: 636 mm

Cylinder height: 750 mm

Total height of tank: 1.880 mm

Total outer width: 850 mm

Total outer length: 1.500 mm

SKU: 437435

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: pharmacy; mobile frame V2A with brake; hand hole with sight glass diameter: approx. 250mm; pneumatic actuator at the outlet; the container hangs on 3x weighing cells on the frame; we can't give any

Övrig information2: guarantees about the agitator

Omrörare: Ja

Övertryck: 3 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 293

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316



Dimensioner av tank

Cylinderhöjd: 750 mm

Invändig diameter: 636 mm

Total höjd: 1.880 mm

Omrörare

Kraft (kW): 0,55

Varvtal: 2.825

Mer

Isolerad: Nej