

## 2930 liter tank i Syrafast 316



**94 000 SEK /st exkl moms**

**Additional information:** Pharmaceutical Chemistry; 1 manhole diameter 500 mm in the front bottom; smaller dents in the insulating jacket; manhole cover plated

**Volumetric volume (L):** 2.930 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3,20 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 200 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** horizontal

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 3,20 Bar

**Max onderdruk:** 1 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** flange DN40

**Internal diameter tank:** 1.190 mm

**Outer diameter tank:** 1.320 mm

**Total height of tank:** 2.200 mm

**Total outer length:** 3.150 mm

**SKU:** 290701

Mer information



## Beskrivning av produkt

Material: Syrafast 316

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: insulated

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; 1 manhole diameter 500 mm in the front bottom; smaller dents in the insulating jacket ; manhole cover plated

Omrörare: Nej

Övertryck: 3,20 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2930

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Invändig diameter: 1.190 mm

Total höjd: 2.200 mm

Ytterdiameter: 1.320 mm

**Mer**

Isolerad: Ja

---