300 liter tank i Syrafast 316



52 000 SEK /st exkl moms

Article type: second-hand storage tank
Additional information: -25°C / +50°C; -0.1bar / +0.2bar; condition control box unknown
Volumetric volume (L): 300 L
Pressure in tank: pressure
Max. pressure (Bar): 0,20 Bar

Min. pressure (Bar): 0,10 Bar
Max. temperature (°C): -25 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Top type: dished
Shape of tank: cylindrical

Bottom type: conical
Total discharge: yes
Fixation points: 4 casters
Manway(s): RVS 316
Gasket manway(s): unknown

Fixation point(s): RVS 304
Suitable for food industry: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Number of manways: 1
Position of manway: at the top
Height manhole 1 (mm): 300 mm
Tank outlet: inside Ø 50 mm

Outlet type: DIN32676
Distance from outlet to ground: 350 mm
Outer diameter tank: 760 mm
Cylinder height: 700 mm
Total height of tank: 1.630 mm

Empty weight tank: 225

SKU: 376514

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Max. arbetstemperatur: -25 °C
Mobil tank: Nej
Övrig information: -25°C / +50°C; -0.1bar / +0.2bar; condition control box unknown
Omrörare: Nej
Övertryck: 0,20 Bar
Tankens form: cylindrical
Total urtappning: Yes
Typ av botten: conical
Undertryck (vakuum): 0,10 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 300

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 50 mm
Teknisk ritning finns: Nej
Utloppstyp: DIN32676

Översikt material
Material: Syrafast 316
Fixeringspunkt(er): RVS 304

Dimensioner av tank
Cylinderhöjd: 700 mm
Mått utlopp till marken: 350 mm
Total höjd: 1.630 mm
Ytterdiameter: 760 mm

Mer
Isolerad: Nej
Vikt: 225

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se