

300 liter tank i Rostfritt 304



48,000,00 kr /st exkl moms

Additional information: Food industry; Diameter manhole appr. 420 mm; pipe end cut flush

Volumetric volume (L): 300 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 50

Agitator: yes

Number of revolutions: 152

Power: 0,55

Internal diameter tank: 900 mm

Cylinder height: 600 mm

Total height of tank: 1.800 mm

Empty weight tank: 375

SKU: 304236

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Food industry; Diameter manhole appr. 420 mm; pipe end cut flush; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 300

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 600 mm

Invändig diameter: 900 mm

Total höjd: 1.800 mm

Omrörare

Kraft (kW): 0,55

Varvtal: 152

Mer

Isolerad: Nej

Vikt: 375