300 liter tank i Rostfritt 304



44 000 SEK /st exkl moms

Additional information: Food industry; Diameter manhole appr. 420 mm; pipe end cut flush
Volumetric volume (L): 300 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: 50
Agitator: yes
Number of revolutions: 152
Power: 0,55
Internal diameter tank: 900 mm

Cylinder height: 600 mm
Total height of tank: 1.800 mm
Empty weight tank: 375

SKU: 425744

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Food industry; Diameter manhole appr. 420 mm; pipe end cut flush; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 300

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 600 mm
Invändig diameter: 900 mm
Total höjd: 1.800 mm

Omrörare

Kraft (kW): 0,55
Varvtal: 152

Mer
Isolerad: Nej
Vikt: 375