300 liter tank i Syrafast 316



113 000 SEK /st exkl moms

Additional information: Biotechnology; Technical documentation in Finnish
Volumetric volume (L): 300 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Volume: 30 L
Max Overpressure: 3 Bar

Max onderdruk: 1 Bar
Max. working temperature: 150 °C
Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Documents included: no

Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: 15
Agitator: yes

Number of revolutions: 372
Power: 2,20
Internal diameter tank: 800 mm
Outer diameter tank: 840 mm
Cylinder height: 590 mm

Total height of tank: 2.050 mm

SKU: 478815

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure and vacuum
Konfiguration: single jacketed with heat-exchanger
Max. arbetstemperatur: 150 °C
Mobil tank: Nej
Övrig information: Biotechnology; Technical documentation in Finnish; we can’t give any guarantees about the agitator
Omrörare: Ja
Övertryck: 3 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 300

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank
Cylinderhöjd: 590 mm
Invändig diameter: 800 mm
Total höjd: 2.050 mm
Ytterdiameter: 840 mm

Omrörare
Kraft (kW): 2,20
Varvtal: 372

Mer
Isolerad: Nej