

300 liter tank i Syrafast 316



48,000,00 kr /st exkl moms

Additional information: pharmacy; Filling pipe inside the tank (see pictures); GEMÜ bottom outlet diaphragm valve at the outlet

Volumetric volume (L): 300 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar

Max. temperature (°C): 143 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 3 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: clamp

Internal diameter tank: 695 mm

Cylinder height: 750 mm

Total height of tank: 1.600 mm

SKU: 481191

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated

Max. arbetstemperatur: 143 °C

Mobil tank: Nej

Övrig information: pharmacy; Filling pipe inside the tank (see pictures); GEMÜ bottom outlet diaphragm valve at the outlet

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 300

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 750 mm

Invändig diameter: 695 mm

Total höjd: 1.600 mm

Mer

Isolerad: Ja
