

3000 liter tank i Rostfritt 304



74,000,00 kr /st exkl moms

Additional information: Pet food; Small dents in the insulating jacket; some residues of previous content

Volumetric volume (L): 3.000 L

Pressure in tank: pressure

Max. pressure (Bar): 0,40 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 4 Bar

Max. working temperature: 110 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN50 DIN 11851

Agitator: yes

Number of revolutions: 21 / 42.5

Power: 1.1 / 1.8

Internal diameter tank: 1.650 mm

Outer diameter tank: 1.780 mm

Cylinder height: 1.400 mm

Total height of tank: 2.900 mm

SKU: 571898

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Pet food; Small dents in the insulating jacket; some residues of previous content; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0,40 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.400 mm

Invändig diameter: 1.650 mm

Total höjd: 2.900 mm

Ytterdiameter: 1.780 mm

Omrörare

Kraft (kW): 1.1 / 1.8

Varvtal: 21 / 42.5

Mer

Isolerad: Ja