3000 liter tank i Rostfritt 304



52 000 SEK /st exkl moms

Additional information: Small dents and several small holes (corrosion) in the insulated jacket; 1 overflow pipe inside the vessel; outlet pipe dented (see photos); some residues of previous content
Volumetric volume (L): 3.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: 80
Internal diameter tank: 1.690 mm
Outer diameter tank: 1.930 mm
Cylinder height: 1.400 mm
Total height of tank: 2.400 mm

SKU: 419279

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Dairy; Small dents and several small holes (corrosion) in the insulation jacket; 1 overflow pipe inside the tank; Outlet pipe dented (see photos); some residues of previous content
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 3000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.400 mm
Invändig diameter: 1.690 mm
Total höjd: 2.400 mm
Ytterdiameter: 1.930 mm

Mer

Isolerad: Ja