3000 liter tank i Rostfritt 304



52 000 SEK /st exkl moms

Additional information: Manhole dimensions: approx. 300 x 395 mm (the manhole cover is missing); some residues of previous content
Volumetric volume (L): 3.000 L

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Pressure in tank: pressure
Max. pressure (Bar): 2 Bar
Min. pressure (Bar): 2 Bar

Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: cylinder
Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.390 mm
Outer diameter tank: 1.400 mm

Cylinder height: 1.500 mm
Total height of tank: 2.500 mm
Empty weight tank: 650

SKU: 453692

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Brewery; Manhole diamter approx. 300 x 395 mm (manhole cover missing); some residues of previous content
Omrörare: Nej
Övertryck: 2 Bar
Total urtappning: Ja
Undertryck (vakuum): 2 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 3000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.500 mm
Invändig diameter: 1.390 mm
Total höjd: 2.500 mm
Ytterdiameter: 1.400 mm

Mer
Isolerad: Nej
Vikt: 650