

## 3000 liter tank i Rostfritt 304



**61 000 SEK /st exkl moms**

**Additional information:** Manhole diameter: approx. 420 x 320 mm

**Volumetric volume (L):** 3.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** no

**Max Overpressure:** 6 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** DN50 DIN 11851

**Internal diameter tank:** 1.400 mm

**Cylinder height:** 1.818 mm

**Total height of tank:** 2.465 mm

**SKU:** 490530

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: ATM – atmosferic  
Konfiguration: single jacketed with heat-exchanger  
Mobil tank: Nej  
Övrig information: Manhole diameter: approx. 420 x 320 mm  
Omrörare: Nej  
Total urtappning: Nej  
Uppvärmning/kylning: Ja  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 3000

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.818 mm  
Invändig diameter: 1.400 mm  
Total höjd: 2.465 mm

## Mer

Isolerad: Nej