

3000 liter tank i Syrafast 316



34 000 SEK /st exkl moms

Additional information: drinks; manhole diameter: 400mm

Volumetric volume (L): 3.000 L

Pressure in tank: ATM - atmosferic

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN100 DIN 11851

Agitator: yes

Number of revolutions: 76

Power: 0,55

Internal diameter tank: 1.384 mm

Cylinder height: 2.000 mm

Total height of tank: 3.500 mm

SKU: 313478

Mer information

Beskrivning av produkt

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: drinks; manhole diameter: 400mm; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Volym i liter: 3000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.384 mm

Total höjd: 3.500 mm

Omrörare

Kraft (kW): 0,55

Varvtal: 76

Mer

Isolerad: Nej