

## 3000 liter tank i Syrafast 316



**68 000 SEK /st exkl moms**

**Additional information:** Lye or hot water tank in the food industry; Slight differences in design; small dents in the insulating jacket of the lower bottom; slight metallic discoloration inside; Both tanks stood as 2-chamber tanks under 2 similar tanks made of Aisi 316 (our order no. 9608); some residues of previous content

**Volumetric volume (L):** 3.000 L  
**Pressure in tank:** ATM - atmosferic  
**Max. temperature (°C):** 85 °C  
**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical  
**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no

**Total discharge:** yes  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no

**Position of manway:** in the bottom  
**Outlet of tank:** 50  
**Top:** 4 mm  
**Cylinder:** 3 mm  
**Bottom:** 5 mm

**Internal diameter tank:** 1.400 mm  
**Outer diameter tank:** 1.510 mm  
**Cylinder height:** 2.000 mm  
**Total height of tank:** 3.800 mm  
**Empty weight tank:** 845

**SKU:** 434813

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosfäric

Konfiguration: insulated

Max. arbetstemperatur: 85 °C

Mobil tank: Nej

Övrig information: Lye or hot water tank in the food industry; Slight differences in design; small dents in the insulating jacket of the lower bottom; slight metallic discoloration inside; Both tanks stood as

Övrig information2: 2-chamber tanks under 2 similar tanks made of Aisi 316 (our order no. 9608); some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.400 mm

Total höjd: 3.800 mm

Ytterdiameter: 1.510 mm

**Tjocklek på tank**

Botten: 5 mm

Cylinder: 3 mm

Topp: 4 mm

**Mer**

Isolerad: Ja

Vikt: 845