

3000 liter tank i Syrafast 316



115,000,00 kr /st exkl moms

Additional information: Cosmetics; Cone height approx. 1250 mm; some residues of previous content;
Metallic discolouration inside

Volumetric volume (L): 3.000 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,30 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 130 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN80 DIN 11851

Top: 8,40 mm

Cylinder: 5,10 mm

Bottom: 4,60 mm

Internal diameter tank: 1.490 mm

Cylinder height: 1.050 mm

Total height of tank: 3.200 mm

Empty weight tank: 700

SKU: 430739

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 130 °C

Mobil tank: Nej

Övrig information: Cosmetics; Cone height approx. 1250 mm; some residues of previous content;Metallic discolouration inside

Omrörare: Nej

Övertryck: 0,30 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 3000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.050 mm

Invändig diameter: 1.490 mm

Total höjd: 3.200 mm

Tjocklek på tank

Botten: 4,60 mm

Cylinder: 5,10 mm

Topp: 8,40 mm

Mer

Isolerad: Nej

Vikt: 700