

30000 liter tank i Rostfritt 304



263 000 SEK /st exkl moms

Additional information: chemistry; some residues of previous content

Volumetric volume (L): 30.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN65

Agitator: yes

Top: 5 mm

Cylinder: 6 mm

Bottom: 5 mm

Internal diameter tank: 2.488 mm

Cylinder height: 5.350 mm

Total height of tank: 7.100 mm

SKU: 487088

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: chemistry; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 30000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 5.350 mm

Invändig diameter: 2.488 mm

Total höjd: 7.100 mm

Tjocklek på tank

Botten: 5 mm

Cylinder: 6 mm

Topp: 5 mm

Mer

Isolerad: Nej
