30000 liter tank i Rostfritt 304



265 000 SEK /st exkl moms

Additional information: chemistry; some residues of previous content
Volumetric volume (L): 30.000 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 100 °C

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: flange DN65
Agitator: yes
Top: 5 mm
Cylinder: 6 mm
Bottom: 5 mm

Internal diameter tank: 2.488 mm
Cylinder height: 5.350 mm
Total height of tank: 7.100 mm

SKU: 487088

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Max. arbetstemperatur: 100 °C
Mobil tank: Nej
Övrig information: chemistry; some residues of previous content; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 30000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 5.350 mm
Invändig diameter: 2.488 mm
Total höjd: 7.100 mm

Tjocklek på tank

Botten: 5 mm
Cylinder: 6 mm
Topp: 5 mm

Mer
Isolerad: Nej