

30000 liter tank i Rostfritt 304



295,000,00 kr /st exkl moms

Article type: second-hand storage tank

Additional information: double jacket for leak detection (system for detection not included)

Volumetric volume (L): 30.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304L (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 adjustable feet

Outer jacket (ornamental wall): RVS 304L

Manway(s): RVS 304L

Gasket manway(s): unknown

Fixation point(s): RVS 304L

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 500 mm

Tank outlet: inside Ø 50 mm

Agitator: no, optional

Distance from outlet to ground: 400 mm

Outer diameter tank: 3.850 mm

Cylinder height: 2.600 mm

Total height of tank: 4.600 mm

Empty weight tank: 4.500

SKU: 482863

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: double jacket for leak detection (system for detection not included)
Mobil tank: Nej
Övrig information: double jacket for leak detection (system for detection not included)
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: conical
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304L (V2A)
Volym i liter: 30000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 50 mm
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304L
Ytterbeklädnad: RVS 304L



Dimensioner av tank

Cylinderhöjd: 2.600 mm
Mått utlopp till marken: 400 mm
Total höjd: 4.600 mm
Ytterdiameter: 3.850 mm

Mer

Isolerad: Nej
Vikt: 4.500