

## 30000 liter tank i Rostfritt 304



**326,000,00 SEK /st exkl moms**

**Additional information:** Food; Outlet nozzle and nozzle for double jacket cut off

**Volumetric volume (L):** 30.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 3 Bar

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** available

**Agitator:** yes

**Outer diameter tank:** 3.100 mm

**Cylinder height:** 4.950 mm

**Total height of tank:** 6.300 mm

**Empty weight tank:** 2.800

**SKU:** 565448

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Food; Outlet nozzle and nozzle for double jacket cut off; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 30000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 4.950 mm

Total höjd: 6.300 mm

Ytterdiameter: 3.100 mm

## Mer

Isolerad: Ja

Vikt: 2.800