

## 30000 liter tank i Rostfritt 304



**261,000,00 SEK /st exkl moms**

**Additional information:** Food  
**Volumetric volume (L):** 30.000 L  
**Pressure in tank:** ATM - atmosferic  
**Max. temperature (°C):** 80 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** available

**Number of revolutions:** 75 / 18

**Power:** 1.2 / 2.2

**Internal diameter tank:** 2.900 mm

**Cylinder height:** 4.500 mm

**Total height of tank:** 7.000 mm

**Empty weight tank:** 3.500

**SKU:** 565535

Mer information

## Beskrivning av produkt

Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: ATM – atmosferic  
Konfiguration: insulated  
Max. arbetstemperatur: 80 °C  
Mobil tank: Nej  
Övrig information: Food  
Omrörare: Nej  
Total urtappning: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 30000

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 4.500 mm  
Invändig diameter: 2.900 mm  
Total höjd: 7.000 mm

## Omrörare

Kraft (kW): 1.2 / 2.2  
Varvtal: 75 / 18

**Mer**

Isolerad: Ja

Vikt: 3.500

---