30000 liter tank i Rostfritt 304

213 000 SEK /st exkl moms

Volumetric volume (L): 30.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: available
Agitator: yes

Number of revolutions: 15 / 31
Power: 2.2 / 4.4
Outer diameter tank: 3.200 mm
Cylinder height: 4.100 mm
Total height of tank: 6.400 mm

Empty weight tank: 2.500

SKU: 568007

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: food; we can’t give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 30000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 4.100 mm
Total höjd: 6.400 mm
Ytterdiameter: 3.200 mm

Omrörare

Kraft (kW): 2.2 / 4.4
Varvtal: 15 / 31

Mer
Isolerad: Nej
Vikt: 2.500

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se