

## 30000 liter tank i Rostfritt 304



**169,000,00 SEK /st exkl moms**

**Additional information:** Chemistry; 2 pipes inside the tank; 1 pipe outside the tank; Wall thickness of the lowest cylinder segment 3.0 mm

**Volumetric volume (L):** 30.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** 55

**Top:** 2,60 mm

**Cylinder:** 2,60 mm

**Bottom:** 4 mm

**Internal diameter tank:** 2.500 mm

**Cylinder height:** 5.990 mm

**Total height of tank:** 7.700 mm

**SKU:** 478479

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry; 2 pipes inside the tank; 1 pipe outside the tank; Wall thickness of the lowest cylinder segment 3.0 mm

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 30000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 5.990 mm

Invändig diameter: 2.500 mm

Total höjd: 7.700 mm

## Tjocklek på tank

Botten: 4 mm

Cylinder: 2,60 mm

Topp: 2,60 mm

**Mer**

Isolerad: Nej

---