30000 liter tank i Rostfritt 304



172 000 SEK /st exkl moms

Additional information: Chemistry; 2 pipes inside the tank; 1 pipe outside the tank; Wall thickness of the lowest cylinder segment 3.0 mm
Volumetric volume (L): 30.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: 55
Top: 2,60 mm
Cylinder: 2,60 mm
Bottom: 4 mm
Internal diameter tank: 2.500 mm

Cylinder height: 5.990 mm
Total height of tank: 7.700 mm

SKU: 478479

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Chemistry; 2 pipes inside the tank; 1 pipe outside the tank; Wall thickness of the lowest cylinder segment 3.0 mm
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 30000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 5.990 mm
Invändig diameter: 2.500 mm
Total höjd: 7.700 mm

Tjocklek på tank

Botten: 4 mm
Cylinder: 2,60 mm
Topp: 2,60 mm

Mer
Isolerad: Nej