

30000 liter tank i Syrafast 316



295 000 SEK /st exkl moms

Additional information: PVP-K90 & Ultrason E6020; Dimensions as shown in the drawing; includes DFS140X80 dosing screw conveyor at the outlet

Volumetric volume (L): 30.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: available

Cylinder: 3 mm

Internal diameter tank: 2.400 mm

Total height of tank: 12.084 mm

SKU: 705085

Mer information



Beskrivning av produkt

Material: Acid-resistant 316

Modell: Vertical

Nyttillverkad/Begagnad: Used

Arbetsstryck i tank: ATM – atmospheric

Konfiguration: single-skin

Mobil tank: No, it is not.

Övrig information: PVP-K90 & Ultrason E6020 ; Dimensions as shown in the drawing; includes

DFS140X80 dosing screw conveyor at the outlet

Omrörare: No

Total urtappning: Yes

Uppvärmning/kylning: No, it is not.

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 30000

Utrustning

Dokument finns: No, it is not.

Fläns för omrörare: No

Märkskylt: No, it is not.

Teknisk ritning finns: No, it is not.

Översikt material

Material: Acid-resistant 316

Dimensioner av tank

Invändig diameter: 2,400 mm

Total höjd: 12.084 mm

Tjocklek på tank

Cylinder: 3 mm

Mer

Isolerad: No

