

3020 liter tank i Rostfritt 304



67 000 SEK /st exkl moms

Additional information: Wine storage; Slight differences in the design of the two tanks (e.g. 1 tank slightly lower in overall height); 1 manhole approx. 320 x 420 mm in the cylinder; 1 screwed-on outlet fitting with disc valve enlarges the outlet to DN 50 DIN 11851; tanks were professionally cleaned and overhauled in 2024; brand new residual drain valves were installed; 1 tank with a dent in one of the feet



Volumetric volume (L): 3.020 L
Pressure in tank: pressure
Max. pressure (Bar): 8 Bar
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: cylinder
Outlet of tank: DN40 DIN 11851
Cylinder: 4,40 mm
Bottom: 3,60 mm
Internal diameter tank: 1.250 mm

Cylinder height: 2.000 mm
Total height of tank: 3.150 mm

SKU: 474299

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Wine storage; Slight differences in the design of the two tanks (e.g. 1 tank slightly lower in overall height); 1 manhole approx. 320 x 420 mm in the cylinder; 1 screwed-on outlet fitting with disc

Övrig information2: valve enlarges the outlet to DN 50 DIN 11851; tanks were professionally cleaned and overhauled in 2024; brand new residual drain valves were installed; 1 tank with a dent in one of the feet

Omrörare: Nej

Övertryck: 8 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3020

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.250 mm

Total höjd: 3.150 mm

**Tjocklek på tank**

Botten: 3,60 mm

Cylinder: 4,40 mm

Mer

Isolerad: Nej