31000 liter tank i Rostfritt 304



249 000 SEK /st exkl moms

Additional information: Beverage industry; Specified total height as per drawing (deviations possible); wall thickness 1. cylinder segment: 3.0 mm
Volumetric volume (L): 31.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Outlet of tank: 100
Agitator: yes
Number of revolutions: 29
Power: 5,50
Top: 3,50 mm

Cylinder: 2,50 mm
Bottom: 5 mm
Internal diameter tank: 2.730 mm
Cylinder height: 5.000 mm
Total height of tank: 7.200 mm

SKU: 474539

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Beverage industry; Specified total height as per drawing (deviations possible); wall thickness 1. cylinder segment: 3.0 mm; we can’t give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 31000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 5.000 mm
Invändig diameter: 2.730 mm
Total höjd: 7.200 mm

Omrörare

Kraft (kW): 5,50
Varvtal: 29

Tjocklek på tank
Botten: 5 mm
Cylinder: 2,50 mm
Topp: 3,50 mm

Mer
Isolerad: Nej