

## 31000 liter tank i Rostfritt 304



**246,000,00 kr /st exkl moms**

**Additional information:** Beverage industry; Specified total height as per drawing (deviations possible); wall thickness 1. cylinder segment: 3.0 mm

**Volumetric volume (L):** 31.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** 100

**Agitator:** yes

**Number of revolutions:** 29

**Power:** 5,50

**Top:** 3,50 mm

**Cylinder:** 2,50 mm

**Bottom:** 5 mm

**Internal diameter tank:** 2.730 mm

**Cylinder height:** 5.000 mm

**Total height of tank:** 7.200 mm

**SKU:** 474539

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Beverage industry; Specified total height as per drawing (deviations possible); wall thickness 1. cylinder segment: 3.0 mm; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 31000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 5.000 mm

Invändig diameter: 2.730 mm

Total höjd: 7.200 mm

## Omrörare

Kraft (kW): 5,50

Varvtal: 29

**Tjocklek på tank**

Botten: 5 mm

Cylinder: 2,50 mm

Topp: 3,50 mm

**Mer**

Isolerad: Nej