

## 31000 liter tank i Rostfritt 304



**165,000,00 kr /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** The previous product was wine.

**Volumetric volume (L):** 30.700 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Shape of tank:** cylindrical

**Bottom type:** dished

**Total discharge:** yes

**Fixation points:** 6 non adjustable feet

**Manway(s):** RVS 304

**Fixation point(s):** painted steel

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 2

**Position of manway:** headside

**Height manhole 1 (mm):** 400 mm x H 500 mm

**Position 2nd manway:** at the top

**Height manhole 2 (mm):** 300

**Tank outlet:** inside Ø 700 mm

**Outlet type:** SMS

**Total outlet valve:** yes

**Agitator:** no, optional

**Internal diameter tank:** 3.000 mm

**Distance from outlet to ground:** 300 mm

**Outer diameter tank:** 3.120 mm

**Cylinder height:** 4.000 mm

**Total height of tank:** 4.100 mm

**Total outer length:** 5.500 mm

**Empty weight tank:** 3.000

**SKU:** 627713

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja  
Material: Rostfritt 304  
Modell: Horisontell  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: ATM – atmosferic  
Konfiguration: single-skin  
Mobil tank: Nej  
Övrig information: The previous product was wine.  
Omrörare: Nej  
Tankens form: cylindrical  
Total urtappning: Ja  
Typ av botten: dished  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 31000

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø 700 mm  
Teknisk ritning finns: Nej  
Utloppstyp: SMS  
Utloppsventil: Ja



## Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): painted steel

## Dimensioner av tank

Cylinderhöjd: 4.000 mm

Invändig diameter: 3.000 mm

Mått utlopp till marken: 300 mm

Total höjd: 4.100 mm

Ytterdiameter: 3.120 mm

## Mer

Isolerad: Nej

Vikt: 2.500