

3120 liter tank i Syrafast 316



234 000 SEK /st exkl moms

Additional information: NMP
Volumetric volume (L): 3.120 L
Pressure in tank: vacuum
Min. pressure (Bar): 1 Bar



Max. temperature (°C): 80 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 120 L

Max Overpressure: 6 Bar

Max. working temperature: 80 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 13 - 65

Empty weight tank: 1.500

SKU: 705121

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: vacuum

Konfiguration: insulated

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: NMP; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 3120

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Omrörare

Varvtal: 13 – 65

Mer

Isolerad: Ja

Vikt: 1.500