

313 liter tank i Syrafast 316



70 000 SEK /st exkl moms

Additional information: Pharmacy; Chassis made of stainless steel 304 (the switch cabinet boxes shown in the photos are without contents); minor dents inside the vessels; upper bottoms made of stainless steel 304 (suspensions and fastening screws for the upper bottoms are missing); pipe end cut flush; Metallic discolouration inside

Volumetric volume (L): 313 L
Pressure in tank: ATM - atmosferic
Max. pressure (Bar): 3 Bar
Max. temperature (°C): 143 °C

Model: vertical
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Total discharge: yes
Volume: 15 L
Max Overpressure: 3 Bar
Max. working temperature: 143 °C
Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: yes

Outlet of tank: 45
Internal diameter tank: 620 mm
Outer diameter tank: 730 mm
Cylinder height: 830 mm
Total height of tank: 1.600 mm

SKU: 280312

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 143 °C

Mobil tank: Nej

Övrig information: Pharmacy; Mobile Frame, AISI 304 (the control cabinet boxes shown in the photos are empty); smaller dents inside the tanks; Upper bottoms, Aisi 304 (hangings and fastening screws of the upper

Övrig information2: bottoms are missing); pipe end cut flush;Metallic discolouration inside; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Övertryck: 3 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 313

Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316



Dimensioner av tank

Cylinderhöjd: 830 mm
Invändig diameter: 620 mm
Total höjd: 1.600 mm
Ytterdiameter: 730 mm

Mer

Isolerad: Ja