

315094 liter tank i Rostfritt 304



Be om offert

Article type: second-hand storage tank

Additional information: Only transportable by boat, the final location must be close to a harbour.

Volumetric volume (L): 315.094 L

Max. density P (kg/m³): 1.000

Ra inner weld: 180,00

Finish stainless steel: 2B

Pressure in tank: ATM - atmospheric

Max. temperature (°C): -25 °C

Min. temperature (°C): 48 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: flat sloping

Total discharge: yes

Insulation material: Rockwool

Manway(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: yes

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 2

Position of manway: cylinder

Height manhole 1 (mm): 418 mm x H 518 mm

Position 2nd manway: at the top

Height manhole 2 (mm): 400

Tank outlet: inside Ø 80 mm

Insulation top: yes

Insulation body: yes

Insulation thickness: 50

Internal diameter tank: 5.200 mm

Outer diameter tank: 5.400 mm

Cylinder height: 15.148 mm

Total height of tank: 17.000 mm

Empty weight tank: 15.000

SKU: 476314



Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Finish rostfritt stål: 2b

Konfiguration: insulated

Max. arbetstemperatur: -25 °C

Maximal densitet för produkten: 1000

Min. arbetstemperatur: 48 °C

Mobil tank: Nej

Övrig information: Only transportable by boat, the final location must be close to a harbour.

Omrörare: Nej

Ra innersvets: 180,00

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: flat sloping

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 315094



Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 80 mm
Teknisk ritning finns: Ja

Översikt material

Material: Rostfritt 304
Isoleringsmaterial: Rockwool

Dimensioner av tank

Cylinderhöjd: 15.148 mm
Invändig diameter: 5.200 mm
Total höjd: 17.000 mm
Ytterdiameter: 5.400 mm

Tjocklek på ytterbeklädnad och isolering

Isolering mantel: Ja
Isoleringsmaterial: Rockwool

Mer

Isoleringsmaterial: Ja
Isoleringstjocklek OW: 50
Isolerad: Ja
Vikt: 15.000