

320 liter tank i Rostfritt 304



35,000,00 kr /st exkl moms

Additional information: 1 electric plug-in heater for heating the heating medium in the double jacket; this heating medium would have to be installed on site before commissioning; some residues of previous content

Volumetric volume (L): 320 L

Pressure in tank: ATM - atmosferic
Max. temperature (°C): 60 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no

Total discharge: yes
Volume: 210 L
Max Overpressure: 3 Bar
Max. working temperature: 60 °C
Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: 38
Internal diameter tank: 622 mm
Cylinder height: 1.070 mm
Total height of tank: 1.680 mm
Total outer width: 830 mm

Total outer length: 1.300 mm

SKU: 426239

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 60 °C

Mobil tank: Nej

Övrig information: 1 electric plug-in heater for heating the heating medium in the double jacket; this heating medium would have to be installed on site before commissioning ; some residues of previous content; we

Övrig information2: can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 320

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.070 mm

Invändig diameter: 622 mm

Total höjd: 1.680 mm

Mer

Isolerad: Ja
