

3250 liter tank i Syrafast 316



45 000 SEK /st exkl moms

Additional information: Textile industry; Sheet metal cutouts in the lid; outlet probably diameter 80 mm; some residues of previous content; pipe end cut flush

Volumetric volume (L): 3.250 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: available

Number of revolutions: 72

Power: 2,20

Top: 1,50 mm

Cylinder: 2 mm

Bottom: 2 mm

Internal diameter tank: 1.590 mm

Cylinder height: 1.600 mm

Total height of tank: 2.650 mm

SKU: 280777

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Textile industry; Sheet metal cutouts in the lid; outlet probably diameter 80 mm; some residues of previous content; pipe end cut flush

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 3250

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.600 mm

Invändig diameter: 1.590 mm

Total höjd: 2.650 mm

Omrörare

Kraft (kW): 2,20

Varvtal: 72

Tjocklek på tank

Botten: 2 mm

Cylinder: 2 mm

Topp: 1,50 mm

Mer

Isolerad: Nej