

32700 liter tank i Rostfritt 304



308,000,00 kr /st exkl moms

item available on order

Article type: brand new storage tank - type TZN-SL

Volumetric volume (L): 32.700 L

Max. density P (kg/m³): 1.000

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical 13 °

Shape of tank: cylindrical

Bottom type: conical 20 °

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): EPDM

Valve: RVS 316L

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: yes

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 2

Position of manway: headside

Height manhole 1 (mm): 500 mm

Hinged lid: yes

Position 2nd manway: cylinder

Height manhole 2 (mm): 440 x 305 mm

Hinged lid: yes

CIP spray ball: no

Tank outlet: inside Ø 80 mm

Outlet type: DIN11850 male

Total outlet valve: no, optional

Tank location: outside

Agitator: no

Tank capacity top cylinder: 32.700 L

Internal diameter tank: 2.984 mm

Distance from outlet to ground: 405 mm

Outer diameter tank: 2.999 mm

Cylinder height: 4.500 mm

Height of top: 382 mm

Height of bottom: 600 mm

Feet height: 1.000 mm

Total height of tank: 5.882 mm

Empty weight tank: 1.500

SKU: 86062

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Nyttillverkad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Maximal densitet för produkten: 1000

Mobil tank: Nej

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: conical 20 °

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 32700

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 80 mm
Teknisk ritning finns: Ja
Utloppstyp: DIN11850 male

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304

Dimensioner av tank

Cylinderhöjd: 4.500 mm
Höjd på fötter: 1.000 mm
Invändig diameter: 2.984 mm
Mått utlopp till marke: 405 mm
Total höjd: 5.882 mm
Ytterdiameter: 2.999 mm

Mer

Isolerad: Nej
Vikt: 1.500