

## 3280 liter tank i Syrafast 316



**123 000 SEK /st exkl moms**

**Additional information:** Cosmetics; Cone height approx. 1.038 mm

**Volumetric volume (L):** 3.280 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 130 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** DN80 DIN 11851

**Top:** 5,90 mm

**Cylinder:** 4,60 mm

**Bottom:** 4,50 mm

**Internal diameter tank:** 1.500 mm

**Cylinder height:** 1.250 mm

**Total height of tank:** 3.200 mm

**SKU:** 312336

Mer information

## Beskrivning av produkt

Material: Syrafast 316  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: pressure and vacuum  
Konfiguration: single-skin  
Max. arbetstemperatur: 130 °C  
Mobil tank: Nej  
Övrig information: Cosmetics; Cone height approx. 1.038 mm  
Omrörare: Nej  
Övertryck: 3 Bar  
Total urtappning: Ja  
Undertryck (vakuum): 1 Bar  
Trycktank: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 316 (V4A)  
Volym i liter: 3280

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 1.250 mm  
Invändig diameter: 1.500 mm  
Total höjd: 3.200 mm

**Tjocklek på tank**

Botten: 4,50 mm

Cylinder: 4,60 mm

Topp: 5,90 mm

**Mer**

Isolerad: Nej