

3280 liter tank i Syrafast 316



123 000 SEK /st exkl moms

Additional information: Cosmetics; Cone height approx. 1.038 mm

Volumetric volume (L): 3.280 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 130 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN80 DIN 11851

Top: 5,90 mm

Cylinder: 4,60 mm

Bottom: 4,50 mm

Internal diameter tank: 1.500 mm

Cylinder height: 1.250 mm

Total height of tank: 3.200 mm

SKU: 312336

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: pressure and vacuum
Konfiguration: single-skin
Max. arbetstemperatur: 130 °C
Mobil tank: Nej
Övrig information: Cosmetics; Cone height approx. 1.038 mm
Omrörare: Nej
Övertryck: 3 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 3280

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.250 mm
Invändig diameter: 1.500 mm
Total höjd: 3.200 mm

Tjocklek på tank

Botten: 4,50 mm

Cylinder: 4,60 mm

Topp: 5,90 mm

Mer

Isolerad: Nej