

330 liter tank i Syrefast 316



56,000,00 kr /st exkl moms

Article type: second-hand mixing tank

Additional information: The tank has never been used, in absolute new condition, New agitator.; we can't give any guarantees about the agitator

Volumetric volume (L): 330 L

Ra inner weld: 0,80

Finish stainless steel: 2B

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316L (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Shape of tank: cylindrical

Bottom type: flat

Total discharge: yes

Fixation points: 3 adjustable feet

Fixation point(s): RVS 304L

Wet parts agitator(s): SS AISI 316L (V4A)

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Tank outlet: inside Ø 40 mm

Outlet type: DIN11851

Total outlet valve: no, optional

Agitator: yes

Agitator type: propeller agitator

Position engine: at the top

Number of revolutions: 1.400

Power: 0,75

Voltage: mono

Cylinder: 2 mm

Bottom: 2 mm

Internal diameter tank: 695 mm

Distance from outlet to ground: 260 mm



Outer diameter tank: 805 mm
Cylinder height: 880 mm
Total height of tank: 1.600 mm
Empty weight tank: 70

SKU: 84663

Mer information
