


## 3300 liter tank i Rostfritt 304



**86,000,00 kr /st exkl moms**

item available on order

**Article type:** brand new storage tank - type K5-SL

**Additional information:** Ra=<0.8µm

**Capacity:** 3.300 L

**Maximal density of the product:** 1.350

**Ra inner weld:** 0,80

**Finish stainless steel:** 2B

**Working pressure in tank:** ATM - atmosferic

**Max. working temperature:** 100 °C

**Min. working temperature:** -10 °C



**Material wet parts:** SS AISI 304L (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** conical 15 °

**Shape of tank:** cylindrical

**Bottom type:** conical

**Total discharge:** yes

**Fixation points:** 3 adjustable feet

**Manway(s):** RVS 304L

**Gasket manway(s):** EPDM

**Fixation point(s):** RVS 304L

**Suitable for food industry:** yes

**Documents included:** yes, optional

**Technical drawing included:** yes

**Registration plate on the tank:** yes

**with inspection of:** TUV

**Flange for agitator:** no

**Number of manways:** 1

**Position manway:** at the top

**Manway 1:** 500 mm

**Tank outlet:** inside Ø 65 mm

**Outlet type:** DIN11851 male

**Top:** 2 mm

**Cylinder:** 2 mm

**Bottom:** 2 mm

**Distance from outlet to ground:** 306 mm

**Outer diameter tank:** 1.592 mm

**Cylinder height:** 1.500 mm

**Height of top:** 266 mm

**Feet height:** 619 mm

**Total height of tank:** 2.430 mm

**Empty weight tank:** 216

**SKU:** 15459

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Nyttillverkad

Konfiguration: single-skin

Omrörare: Nej

Volym i liter: 3300

### Utrustning

Märkskylt: Ja

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 65 mm

Utloppstyp: DIN11851 male

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 1.500 mm

Ytterdiameter: 1.592 mm

**Tjocklek på tank**

Botten: 2 mm

Cylinder: 2 mm

Topp: 2 mm